

KartSport New Zealand E-Line



#065
14 January 2013

HAPPY NEW YEAR!



Survey Tyre Prize

Thank you to those who completed the questionnaire. **Liam Lotter** from Nelson was the lucky name drawn out of the hat for the set of MG-AZ tyres.





Wynn's Raceway, Kaitoke, Upper Hutt, 25-28 January 2013

Hurry, Entries Close 5pm 23-1-13
NO Late Fee

This event is being televised and will screen on TV3 CRC Motorsport and CUE TV
(Freeview CH23 & Sky CH110)

[CLICK HERE](#) for Entry Form, Supplementary Rules, Information and a detailed Event
Timetable.

[CLICK HERE](#) to enter On-Line



Tech Talk

with Colin Smith

National Technical Officer



A reminder of some previously advised changes effective 1-1-13 and other matters requiring
attention:

KG Sidepod - Homologation 23/CA/14

The removeable side bar must be secured in place.

This model KG side pod has the Homologation number 23/CA/14 molded into the underside.

For full details including the specifications, photographs and drawings of the bar [CLICK HERE](#).

Righetti Ridolfi Intake Silencers NOX 23 &32

(Homologation numbers 16/SA/18 and 19/SA/18)

These inlet silencers are required to meet the [revised CIK homologation specifications](#), which include the noise absorption insert.

Cadet Front Console (Rule K3.10)


Please check your Cadet Front Console (Nassa Panel) meets the dimensions in Rule K3.10.

Transponder Mounting (Rule K1.44)

For Sprint racing your transponder must be securely fitted to your seat as per the drawing (or to the sidepod if this is not possible). For the AMB track loop to receive a good signal your transponder needs to be mounted as shown in the drawing with no metal or lead between the transponder and the track.


THE MOUNTING OF TRANSPONDERS TO THE KART FRAME AND/OR SEAT STAYS IS NOT PERMITTED.





Ensure that when the transponder is fitted that it is on the opposite side of the engine and there is no metal obstruction directly underneath it.

Transponder must be fitted in an approximately upright position (i.e. with the R clip to the top), to the back of the seat (preferably left back) and fitted at a height of 20cm +/- 5cm from the track surface.



2013 Dates
1 Day EXPLORE & LEARN

KartSport Hawkes Bay - 23rd February 2013



Want to advertise a product or service here?

Hot link to your website or email.

Contact Robert Hutton

KartSport Auckland - 26 May 2013

KartSport Taranaki - 14 July 2013

KartSport Mt Wellington - 12 October 2013

Come and learn the basics and knock tenths off your lap times.

Ideal for competitors and crew in their first year of competition.

For course details [CLICK HERE](#)

2 Day HOT SHOTS

KartSport Wellington - 9/10 March 2013 (pre NZ Sprint Champs)

KartSport Auckland - 27/28 July 2013

KartSport Hamilton - 19/20 October 2013

Get ready for Island and National Championship competition.

For course details [CLICK HERE](#)

[CLICK HERE](#) for ON-LINE bookings.

or

phone Gary Wilson, Head Coach 021-543-787.



Have You Checked the 2013 Manual for



Changes?

All the changes notified during 2012 are underlined in the new Manual. There are some major updates/additions including:

Start Procedure (Rule J2) and respective penalties (Rule C9.3 #25, 26 & 27).

Transponder Purchase cost reduced to \$350 (Rule D5).

Medical Clearance after a serious accident requirement (Rule F1.5 (a)).

Track Definition ie kerb hopping (Rule J1.1).

SuperKarts: Towing (Rule J1.22) and Yellow Flag (Rule H1.6).

Rear Axles (Rule K1.46).

Engine Specifications Section N: Check the relevant Section for your engine.